Dart Aerospace Ltd. Friday, 8/31/2007 11:53:27 AM Kim Johnston User **Process Sheet** : DOUBLER **Drawing Name** Customer : CU-DAR001 Dart Helicopters Services Job Number : 34373 **Estimate Number** : 11464 : D314089 Part Number P.O. Number : µIA S.O. No. : HA . D3140 REV F : 8/31/2007 **Drawing Number** This Issue : N/A Project Number Prsht Rev. : SMALL /MED FAB **Drawing Revision** First Issue ALG: : 27376 Material Previous Run : 9/4/2007 Each Qty: 4 Um: Due Date Written By Checked & Approved By New Issue NG 02.04.30 : Est. Comment Est. Rev B New dwg rev. ecn781 06.04.18 EC Est. rev.C added scuffing NCR 061 EC Est Rev:D As per ECN #829 06-11-20 JLM **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: 2024-T3 .032 sheet M2024T3S032 1.7430 sf(s)/Unit Comment: Qty.: Total : 6.9720 sf(s)2024-T3 .032 sheet M101422 XZ Matl: 2024-T3 (QQ-A-250/4) .032" thick (M2024T3S.032) 2.0 WATER JET Comment: FLOW WATER JET 1-Cut as per Dwg D3140 Dwg Rev:_ Prog Rev. 2-Deburr if necessary INSPECT PARTS AS THEY COME OFF MACHINE 3.0 QC2 Comment: INSPECT PARTS AS THEY COME OFF MACHINE SECOND CHECK 4.0

Comment: SECOND CHECK

Er 03/090

(44)

.

D - 4	_	Ł	
vart.	Aeros	nace	Lta

W/O:		WORK ORDER	CHANGES			
DATE	STEP	PROCEDURE CHANGE	Ву	Date 0	Approval Chief Eng / Prod Mgr	Approval QC Inspector
. Name of						
Part No) :	PAR #: Fault Category:	NCR: Yes	No DQA: į	Date: _	7169 b
			<u> </u>			

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	······································	Verification	A	A				
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto				
					(·				
						5						
						,						
				N. Committee of the Com								
		r.										
					.*							
•							,					
				,				-				
								2.5				

NOTE: Date & initial all entries

Date: Friday, 8/31/2007 11:53:27 AM Usèr: Kim Johnston **Process Sheet** Customer: CU-DAR001 Dart Helicopters Services Drawing Name: DOUBLER Part Number: D314089 Job Number: 34373 Job Number: Machine Or Operation: Description: Seq. #: SMALL & MEDIUM FAB RESOURCE 1 5.0 SMALL FAB 1 Comment: SMALL & MEDIUM FAB RESOURCE 1 1-Scuff surfaces with 80grit sandpaper per QSI 006 2-Deburr. 07.09-22 No sharp edges INSPECT WORK TO CURRENT STEP 6.0 QC5 WORK TO CURRENT STEP Comment: INSPECT HAND FINISHING RESOURCE #1 7.0 Comment: HAND FINISHING RESOURCE #1 Chemical Conversion Coat as per QSI 005 4.1 8.0 QC3 POWDER COAT/CHEMICAL CONVERSION PACKAGING RES PACKAGING 1 9.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 51 184 10.0 QC21 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Ae	rospace	e Ltd								
W/O:			W	ORK ORDER CH	ANGES					
DATE	STEP	PRO	CEDURE CH		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
	,	*	3							
•										
			٠ .							
Part No	•	PAR #:	Fault Cate	egory:	NC					
						QA: N	/C Close	d:	_ Date: _	
NCR:		V	VORK ORD	ER NON-CONFO	PRMANCE	(NCR)			
DATE	OTED	Description of NC	Corrective Action Section B				Verific	ation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descrip Chief Eng	otion	Sign & Date	Secti		Chief Eng	QC Inspector
		,								

NOTE: Date & initial all entries



RELEASED

06.11.13

DESIG	° 4	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	(EQ)	APPROVED	DRAWING NO. REV. F D3140 SHEET 1 OF 7
DATE	30 3001 1	1 7	TITLE SCALE
06.1	0.06		DOOR NTS
Α		02.04.18	NEW ISSUE
В		03.01.23	REMOVE -65/-81/-83; ADD -301/-303
С		04.11.08	CHANGE DELASTEK SPEC. TEC-77; ADD PART MARKING; ADD NOTES 11, 12, 13; CHANGE ANGLE -95/-97/-98 TO 106'
D		05.11.23	ADD -103/-104/-105/-106; REMOVE -67
E.		06.06.09	1.75 WAS 1.88, 4.75 WAS 4.13 ON -08/-07, 1.00 WAS 1.20 ON -09/-10
F		06.10.06	ADD NOTE 14; CORRECT PART TITLE, NOW D3140-09/-92/-104 SHOWN D3140-10/-91/-103 OPPOSITE

						,		
QTY	QTY	QTY	QTY	QTY	QTY		DECONSTICAL	
-05	-06	-07	-08	-09	-10	PART NUMBER	DESCRIPTION	1
Х						D3140-05	DOOR	
	Х					D3140-06	DOOR	1
		Х				D3140-07	DOOR	
		_	Х			D3140-08	DOOR	1
		1		X		D3140-09	DOUBLER ASSEMBLY	
			1		X	D3140-10	DOUBLER ASSEMBLY	j
					Ĺ			[
3	3					D3140-57	PAD	'
1	1					D3140-59	PAD	
2	2					D3140-61	PAD	
2	2					D3140-63	PAD	
		1	1	1		D3140-69	PAD	
		1	1	1		D3140-71	PAD	
	<u> </u>	1	1	<u> </u>		D3140-73	PAD	l '
		1	1		l	D3140-75	PAD	·
·		1	1			D3140-77	PAD	i
		1 1	1	-		D3140-79	PAD	
		<u> </u>	 	1	1	D3140-85	ANGLE	IOP COPY
1	1					D3140-87	DOUBLER	ETURN TO
<u>-</u>	· · · ·		-	1	1	D3140-89	I IVALIDI ED	TATAT(+
	····	1		 	<u> </u>	D3140-91	DOUBLER	TROLLED CON
		 	1		· · · · · · · · · · · · · · · · · · ·	D3140-92	DOUBLER TINCON	TRULLED
3	3		'	-		D3140-95	DOUBLER STRIE	TROLLED T TO AMENDMENT TO AMENDMENT
1						D3140-97	IDOUBLED	THUULL
	1		<u> </u>			D3140-98	DOUBLER	WORK ORDER
	<u> </u>	1 1	1		 	D3140-99	DOUBLER	27372
	<u> </u>	2	2	 	 	D3140-101	DOUBLER	242
	 	1		 		D3140-101	DOUBLER	l l
	 		1	ļ	ļ	D3140-103	DOUBLER	
		 		 	 	D3140-105	DOUBLER	/n/
		1	 		ļ		DOUBLER	<u> </u>
		<u> </u>	1			D3140-106	DOUBLER	ľ
1	1	<u> </u>				D3140-241		
1		1	 	<u> </u>		D3140-301	DOUBLER	
	1	ļ	11	ļ	<u> </u>	D3140-303	DOUBLER	
			<u> </u>	ļ <u>.</u>		14000400AD2 4	DIVET	
	J	i	<u> </u>	5	5	MS20426AD3-4	RIVET	1

Copyright © 2002 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



DESIGN 4	C^{B}		EROSPACE LTD JRY, ONTARIO, CANADA
CHECKED	APPROVED,	DRAWING NO.	REV. F
Mek	of	D3140	SHEET 2 OF 7
DATE		TITLE	SCALE
06.10.06		DOOR	итѕ



COMPOSITE LAYUP & BONDING I.A.W. DELASTEK PROCESS SPEC. TEC-77 MATERIAL STORAGE & HANDLING TO BE I.A.W. DART QSI 006 MAIN LAYUP USES FIBERCOTE E-761/7781 EPOXY FIBERGLASS. FILL WITH EPOCAST 87269 OR MAGNOBOND 77 A & B AND MA560 FOAM/ NB-51/30 FOAM



FINISH: DUPONT HIGHBUILD GREY PRIMER 1144-S

MAKE PARTS IN ACCORDANCE WITH THE FOLLOWING TOOLS/MOLDS:

PART D3140-05 D3140-06 D3140-07 D3140-08 D3140-57 D3140-61 D3140-63 D3140-69 D3140-71	TOOL B30-23000-01T B30-23000-02T B30-23000-03T B30-23000-04T B30-23000-61T B30-23000-63T B30-23000-69T B30-23000-71T
	B30-23000-69T
D3140-71	B30-23000-71T
D3140-73	B30-23000-73T
D3140-75	B30-23000-75T
D3140-77	B30-23000-77T
D3140-79	B30-23000-79T
D3140-89	D3140-89T1
D3140-301	D3140-301T1
D3140-303	D3140-303T1

ALL DIMENSIONS IN INCHES



MATERIAL: 2024-T3 (QQ-A-250/4) 0.032 THICK (M2024T3S.032) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1



MATERIAL: 2024-T3 (QQ-A-250/4) 0.020 THICK (M2024T3S.020) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1



MATERIAL: 5052-H32/H34 (QQ-A-250/8) 0.040 THICK (M5052H32S.040) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1



MATERIAL: POLIMEX TR75 1" THICK 4.5 LB KLEGECELL



TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED





MATERIAL: 6061-T6 (QQ-A-250/11) 0.063 THICK (M6061-T6S.063) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1



DOUBLER TO SIT ON TOP OF FOAM AT THIS LOCATION



DOUBLER TO BE RECESSED FLUSH INTO FOAM AT THIS LOCATION



RUBBER STAMP WITH DART P/N D3140-05/-06/-07/-08 USING MIL-STD-130



PARTS MUST BE SCUFFED WITH 80 GRIT SANDPAPER PRIOR TO ACID ETCH AND ALODINE PER DART QSI 005 4.1



SHOP COPY RETURN TO


ENGINEERING UNCONTROLLED COP


SUBJECT TO AMENDMENT WITHOUT NOTICE


WORK ORDER


Copyright © 2002 by DART AEROSPACE LTD


THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.











DART AEROSPACE LTD	Work Order:	34373
	. W =	• • •
Description: Sobler	Part Number:	D3140 089
Inspection Dwg: 73140 Rev: F		Page 1 of 1

	FIRST	ARTICLE IN	SPECTION	ON CHE	CKLIST		
	Х	First Artic	le	Prote	otype		
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Co	mments
43.00	20.030	42,98			Vem/H-	_	
26.65	+60.030	26.65	/		H-T		
5, 29	4/-0.030	5.78	/		Vern		
3.20	4/0.030	3,18	/		Vern/Heiz	hisace	
3.05	1/-0-030	3.04	/		Vern	900	-
0.032	4.0.010	0.033			Vern		
			ā ,				
							,
	.,	,					
• •							· · · · · · · · · · · · · · · · · · ·
<u>i</u>						de es .	
					2. 700 d d d d d d d d d d d d d d d d d d	· · · · · · · · · · · · · · · · · · ·	
						·	
		:				· .	
					;		
			*			* *	
Measured by:	SID A.	idited by:		n.	atatuna Anu		
Date:	DIO AU	Date:	N, 9/		ototype Appro		14
Date:	0+107107	Date:	101/08		L L	ate:	
Rev Date	Change				Rev	ised by	Approved

		<i>V</i> /104/		li	
Rev	Date	Change		Revised by	Approved
Α		New Issue		KJ/JLM	